

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|------------------------------------|---|------------------|---------|---------------------|
| L1 | 612 | 439/535.ccls. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/03 14:21 |
| L2 | 101 | 439/535.ccls. and pin | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/03 14:22 |
| L3 | 21 | 439/535.ccls. and circuit with pin | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/03 14:24 |
| L4 | 0 | 439/535.ccls. and arams | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/03 14:25 |
| L5 | 0 | 439/535.ccls. and arams. xp. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/03 14:25 |
| L6 | 12 | 439/535.ccls. and abrams. xp. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/03 14:25 |
| S1 | 2 | "20040264076" | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 14:50 |

EAST Search History

| | | | | | | |
|----|-------|--|---|----|----|---------------------|
| S2 | 42175 | electrical with outlet | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 09:55 |
| S3 | 18611 | overload same (protection protector) | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 09:56 |
| S4 | 111 | overload same (protection protector) same surge same capacitor | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 09:57 |
| S5 | 3 | S2 and S4 | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:01 |
| S6 | 2988 | surge near4 capacitor | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:02 |
| S7 | 423 | surge near capacitor | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:02 |
| S8 | 9 | S2 and S7 | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:15 |
| S9 | 284 | S2 and S3 | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:15 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S10 | 5928 | trip same reset same (indicat\$4 light lamp) | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:16 |
| S11 | 8 | S9 and S10 | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:18 |
| S12 | 4 | S9 and S10 and capacitor | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:18 |
| S13 | 6916 | indicat\$4 same trip same (overcurrent overvoltage ground adg fault) | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/29 10:50 |
| S14 | 1935 | indicat\$4 same trip same (overcurrent overvoltage ground adg fault) and "361"/\$.ccls. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/29 10:50 |
| S15 | 438 | indicat\$4 same trip same (overcurrent overvoltage ground adg fault) same reset and "361"/\$.ccls. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/29 10:51 |
| S16 | 191 | indicat\$4 same trip same (overcurrent overvoltage ground adj fault) same reset and "361"/\$.ccls. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/29 10:51 |
| S17 | 100 | indicat\$4 same trip same (overcurrent overvoltage ground adj fault) same reset and "361"/\$.ccls. | USPAT | OR | ON | 2005/10/29 10:52 |

EAST Search History

| | | | | | | |
|-----|-----|---|-------|----|----|------------------|
| S18 | 17 | indicat\$4 same trip same (overcurrent overvoltage ground adj fault) same reset same led and "361"/\$.ccls. | USPAT | OR | ON | 2005/10/29 11:05 |
| S19 | 0 | indicat\$4 same trip same (overcurrent overvoltage ground adj fault) same reset same led and levithon | USPAT | OR | ON | 2005/10/29 11:06 |
| S20 | 20 | indicat\$4 same trip same (overcurrent overvoltage ground adj fault) same reset same led | USPAT | OR | ON | 2005/10/29 11:13 |
| S21 | 23 | indicat\$4 same trip same (overcurrent overvoltage arc ground adj fault) same reset same led | USPAT | OR | ON | 2005/10/29 11:27 |
| S22 | 1 | "4,568,997".pn. | USPAT | OR | ON | 2005/10/29 11:26 |
| S23 | 0 | levithon | USPAT | OR | ON | 2005/10/29 11:26 |
| S24 | 722 | leviton | USPAT | OR | ON | 2005/10/29 11:26 |
| S25 | 1 | indicat\$4 same trip same (overcurrent overvoltage arc ground adj fault) same reset same leviton | USPAT | OR | ON | 2005/10/29 11:35 |
| S26 | 44 | indicat\$4 same trip and leviton | USPAT | OR | ON | 2005/10/29 11:36 |
| S27 | 2 | indicat\$4 same led same outlet and leviton | USPAT | OR | ON | 2005/10/29 11:38 |
| S28 | 40 | indicat\$4 same led and outlet and leviton | USPAT | OR | ON | 2005/10/29 11:44 |
| S29 | 29 | indicat\$4 same led and outlet and reset and leviton | USPAT | OR | ON | 2005/10/29 11:53 |
| S30 | 1 | indicat\$4 same alarm same led and outlet and reset and leviton | USPAT | OR | ON | 2005/10/29 11:55 |
| S31 | 358 | indicat\$4 same alarm same led and outlet and reset | USPAT | OR | ON | 2005/10/29 11:55 |
| S32 | 408 | indicat\$4 same alarm same (led light near3 diode) and outlet and reset | USPAT | OR | ON | 2005/10/29 11:56 |
| S33 | 146 | indicat\$4 same alarm same (light near3 diode) and outlet and reset | USPAT | OR | ON | 2005/10/29 11:57 |
| S34 | 48 | indicat\$4 same alarm same (light near3 diode) and outlet with electrical and reset | USPAT | OR | ON | 2005/10/29 11:59 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S35 | 58 | indicat\$4 same alarm same (light near3 diode) and outlet with power and reset | USPAT | OR | ON | 2005/10/29 11:59 |
| S36 | 161 | indicat\$4 same alarm same (led light near2 emitting near2 diode) and outlet with power and reset | USPAT | OR | ON | 2005/10/29 12:00 |
| S37 | 308 | indicat\$4 same (led light near2 emitting near2 diode) and outlet with power and reset and (overload overcurrent overvoltage fault) | USPAT | OR | ON | 2005/10/29 12:02 |
| S38 | 39 | indicat\$4 same (led light near2 emitting near2 diode) and outlet with power and reset and (overload overcurrent overvoltage fault) and "361"/\$.ccls. | USPAT | OR | ON | 2005/10/29 12:36 |
| S39 | 28 | electrical adj outlet with housing same board | USPAT | OR | ON | 2005/10/29 12:40 |
| S40 | 325 | outlet with housing same circuit near board | USPAT | OR | ON | 2005/10/29 12:41 |
| S41 | 138 | outlet with housing same circuit near board and protect\$3 | USPAT | OR | ON | 2005/10/29 12:41 |
| S42 | 21 | outlet with housing same circuit near board and protect\$3 and button | USPAT | OR | ON | 2005/10/29 13:05 |
| S43 | 262 | surge adj capacitor | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/29 13:27 |
| S44 | 160 | surge adj capacitor | USPAT | OR | ON | 2005/10/29 13:32 |
| S45 | 160 | "surge capacitor" | USPAT | OR | ON | 2005/10/29 14:20 |
| S46 | 1 | "5638243".pn. | USPAT | OR | ON | 2005/10/29 14:20 |
| S47 | 296 | electrical near3 outlet with breaker | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:00 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S48 | 17 | electrical near3 outlet with breaker same lamp | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:01 |
| S49 | 0 | electrical near3 outlet with breaker same lamp same reset | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:02 |
| S50 | 21 | electrical near3 outlet with breaker same reset | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:02 |
| S51 | 4 | electrical near3 outlet with breaker same reset same overload | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:03 |
| S52 | 3 | electrical near3 outlet same (disconnect cut) same reset same overload | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:07 |
| S53 | 31 | outlet same (disconnect cut) same reset same overload | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:16 |
| S54 | 33 | outlet same trip same reset same overload | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:17 |
| S55 | 2 | wall with outlet same trip same reset same overload | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:21 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S56 | 625 | protect\$4 same trip same reset same overload | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:21 |
| S57 | 7 | protect\$4 same trip same reset same overload and electrical near5 outlet | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/28 13:21 |
| S58 | 1082 | outlet same housing same circuit near2 board | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 14:56 |
| S59 | 76 | S58 same protect\$4 | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 14:56 |
| S60 | 17 | S59 same (indicat\$3 lamp led) | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 14:52 |
| S61 | 1 | S58 same overload | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 14:57 |
| S62 | 1410 | outlet same (housing body) same circuit near2 board | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 14:56 |
| S63 | 4 | S62 same overload | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 14:57 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S64 | 1 | S62 same overcurrent | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 15:02 |
| S65 | 25 | S62 same surge | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 15:09 |
| S66 | 2 | S62 same surge and disconnect | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 15:10 |
| S67 | 8 | S62 same surge and reset | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/01 15:10 |
| S68 | 0 | 174/53.ccls | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 10:28 |
| S69 | 1060 | 174/53.ccls. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 10:28 |
| S70 | 5 | 174/53.ccls. and outlet same circuit adj board | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 10:34 |
| S71 | 19 | 439/107,148,142,131.ccls. and outlet same circuit adj board | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 10:44 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S72 | 0 | 200/43.18.ccls. and outlet same circuit adj board | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 10:45 |
| S73 | 0 | 200/43.18.ccls. and outlet same board | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 10:45 |
| S74 | 74 | 200/43.18.ccls. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 13:48 |
| S75 | 917 | 439/535,536.ccls. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 13:49 |
| S76 | 464 | 439/535,536.ccls.and outlet | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 13:49 |
| S77 | 464 | 439/535,536.ccls. and outlet | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 13:49 |
| S78 | 311 | 439/535,536.ccls. and outlet with (box body) | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 13:49 |
| S79 | 34 | 439/535,536.ccls. and outlet with (box body) same board | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 13:57 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S80 | 5 | 439/535,536.ccls. and outlet with (box body) same board and reset | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 13:59 |
| S81 | 1 | 439/535,536.ccls. and outlet with (box body) same overload and reset | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 14:04 |
| S82 | 39 | outlet with (box body) same overload and reset | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 14:03 |
| S83 | 433 | outlet with (box body) same circuit with board | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 14:03 |
| S84 | 12 | 439/535,536.ccls. and outlet with (box body) same circuit with board | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 16:13 |
| S85 | 268 | surge adj capacitor | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 16:13 |
| S86 | 64 | surge adj capacitor and "361"/\$.ccls. | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 16:14 |
| S87 | 47 | surge adj capacitor and "361"/\$.ccls. | USPAT | OR | ON | 2006/05/02 16:17 |
| S88 | 0 | surge adj capacitor same outlet and "361"/\$.ccls. | USPAT | OR | ON | 2006/05/02 16:15 |
| S89 | 0 | surge adj capacitor same outlet | USPAT | OR | ON | 2006/05/02 16:15 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|----|---------------------|
| S90 | 17 | surge adj capacitor same protection | USPAT | OR | ON | 2006/05/02 16:20 |
| S91 | 200 | resettable adj fuse | USPAT | OR | ON | 2006/05/02 16:21 |
| S92 | 68 | resettable adj fuse and "361"/\$.ccls. | USPAT | OR | ON | 2006/05/02 16:22 |
| S93 | 6 | resettable adj fuse same button and "361"/\$.ccls. | USPAT | OR | ON | 2006/05/02 16:24 |
| S94 | 6 | resettable adj fuse same button near reset ":" | USPAT | OR | ON | 2006/05/02 16:24 |
| S95 | 6 | resettable adj fuse same button near reset | USPAT | OR | ON | 2006/05/02 16:24 |
| S96 | 6 | resettable adj fuse same button near reset | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 16:25 |
| S97 | 6 | resettable adj fuse same button near2 reset | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 16:25 |
| S98 | 7 | resettable adj fuse and button near2 reset | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 16:59 |
| S99 | 556 | circuit adj breaker same reset same indication | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 17:00 |
| S10 0 | 44 | circuit adj breaker same reset adj button same indication | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 17:00 |
| S10 1 | 1 | circuit adj breaker same reset adj button same indication same outlet | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 17:01 |

EAST Search History

| | | | | | | |
|----------|----|--|---|----|----|---------------------|
| S10 2 | 0 | circuit adj breaker same reset adj button same indication same power same strip | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/02 17:01 |
| S10 3 | 11 | circuit adj breaker same reset adj button same power same strip | US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/03 14:19 |